

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	49805	((valve) with (stem or shaft or rod)) same ((valve) with (head or plug or closure or plate))	USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	42757	((stem or shaft or rod) with (head or plug or closure or plate)) with (pin)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	3418	1 and 2	USPAT; EPO; JPO; DERWEN T; IBM_TD B
4	BRS	L4	1959	((((stem or shaft or rod) with (head or plug or closure or plate)) with (pin)) with (valve)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L5	11725	((((stem or shaft or rod) with (head or plug or closure or plate)) with (pin)) same (retain or retainer or retained or retaining or packing or seal or sealed or sealing or packed or lock or locked or locking)	USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
1	2005/02/12 12:00			
2	2005/02/12 12:07			
3	2005/02/12 12:11			
4	2005/02/12 12:10			
5	2005/02/12 12:09			

	Type	L #	Hits	Search Text	DBs
6	BRS	L6	675	(((((stem or shaft or rod) with (head or plug or closure or plate)) with (pin)) with (valve)) same (retain or retainer or retained or retaining or packing or seal or sealed or sealing or packed or lock or locked or locking)	USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	IS&R	L7	969	(251/357).CCLS.	USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L8	672	6 not 7	USPAT; EPO; JPO; DERWEN T; IBM_TD B
9	BRS	L9	59	(((((stem or shaft or rod) with (head or plug or closure or plate)) with (pin)) with (valve)) same (retain or retainer or retained or retaining or packing or seal or sealed or sealing or packed or lock or locked or locking)	US- PGPUB

	Time Stamp	Comments	Error Definition	Errors
6	2005/02/12 13:07			
7	2005/02/12 12:11			
8	2005/02/12 12:12			
9	2005/02/12 13:07			